

PATENT

Atty Docket No.: 10992051-1

App. Ser. No.: 09/819,167

IN THE CLAIMS:

Please find a listing of the claims below. The statuses of the claims are shown in parentheses.

1. (Currently amended) A method of dynamically adjusting a printer, the method comprising:

printing onto a medium;

collecting pixel values over an area of the medium;

calculating statistical metrics of histograms of the pixel values;

applying metric criteria against the statistical metrics, wherein the metric criteria is relative height of a dark modal peak to that of a light modal peak to determine degree of adjustment of the print density; and

adjusting print density based upon the application of the metric criteria against the statistical metrics.

2. (Original) The method recited in claim 1 wherein the printer prints with dots.

3. (Previously Presented) The method recited in claim 1 further comprising purposefully printing stealthy dots.

4. (Original) The method recited in claim 1 wherein the collected pixel values are shifted and scaled.

5. (Original) The method recited in claim 1 wherein the printing and the collection of pixel values are performed substantially simultaneously.

PATENT

Atty Docket No.: 10992051-1
App. Ser. No.: 09/819,167

6. (Original) The method recited in claim 1 wherein the step of applying metric criteria comprises steps of determining optical density over the area and of comparing optical density to a predetermined density.

7. (Currently amended) ~~The method recited in claim 1~~ A method of dynamically adjusting a printer, the method comprising:

printing onto a medium;

collecting pixel values over an area of the medium;

calculating statistical metrics of histograms of the pixel values;

applying metric criteria against the statistical metrics; and

adjusting print density based upon the application of the metric criteria against the statistical metrics, wherein the applied metric criterion criteria is bimodal symmetry where median of the pixel values equals mean of the pixel values.

8. (Previously Presented) The method recited in claim 7 wherein the step of adjusting print density further comprises a step of adjusting print density based on the bimodal symmetry point as 50% of visual dark threshold.

9. (Previously Presented) The method recited in claim 1 wherein the step of adjusting print density further comprises a step of adjusting print density to a visual dark threshold determined as median of the pixel values when a single dark mode remains in the histogram.

10. (Canceled).

PATENT

Atty Docket No.: 10992051-1
App. Scr. No.: 09/819,167

11. (Currently amended) A printing apparatus comprising:

printing means for printing on a medium;

a sensor for collecting pixel values over an area of the medium; and

a processor, connected to the sensor, for calculating statistical metrics of histograms of the pixel values, applying metric criteria against the statistical metrics, wherein the metric criteria is relative height of a dark modal peak to that of a light modal peak to determine degree of adjustment of the print density, and adjusting print density based upon the application of the metric criteria.

12. (Original) The apparatus recited in claim 11 wherein the printer prints using dots.

13. (Original) The apparatus recited in claim 11 further comprising storage for storing the collected pixel values.

14. (Previously presented) The apparatus recited in claim 11 wherein the area contains dots purposefully printed in regions of a medium where no final content is directed.

15. (Original) The apparatus recited in claim 11 wherein the processor shifts and scales the pixel values.

16. (Original) The apparatus recited in claim 11 wherein the printing means and the sensor operate substantially simultaneously.

PATENT

Atty Docket No.: 10992051-1
App. Ser. No.: 09/819,167

17. (Original) The apparatus recited in claim 11 wherein the processor further applies the metric criteria by determining optical density over the area and of comparing the optical density to a predetermined density.

18. (Currently amended) ~~The apparatus recited in claim 11~~ A printing apparatus comprising:
printing means for printing on a medium;
a sensor for collecting pixel values over an area of the medium; and
a processor, connected to the sensor, for calculating statistical metrics of histograms of the pixel values, applying metric criteria against the statistical metrics, and adjusting print density based upon the application of the metric criteria, wherein the applied metric criterion criteria
is bimodal symmetry where median of the pixel values equals mean of the pixel values.

19. (Original) The apparatus recited in claim 18 wherein the print density is adjusted based on the bimodal symmetry point as 50% of visual dark threshold.

20. (Original) The apparatus recited in claim 11 wherein the print density is adjusted to a visual dark threshold determined as median of the pixel values when a single dark mode remains in the histogram.

21. (Canceled).

22. (New) The method recited in claim 7 wherein the step of adjusting print density further comprises a step of adjusting print density to a visual dark threshold determined as median of the pixel values when a single dark mode remains in the histogram.

PATENT**Atty Docket No.: 10992051-1**
App. Ser. No.: 09/819,167

23. (New) The apparatus recited in claim 18 wherein the print density is adjusted to a visual dark threshold determined as median of the pixel values when a single dark mode remains in the histogram.